

950 liter tank in 304 stainless steel



68 000 SEK /st exkl moms

Additional information: Manhole diameter approx. 415 mm; outlet diameter approx. 40 mm; 1 tank with heavy build-up inside; some residues of previous content

Volumetric volume (L): 950 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes



Mobile tank: no

Total discharge: yes

Volume: 120 L

Max. working temperature: 95 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Internal diameter tank: 1.190 mm

Outer diameter tank: 1.350 mm

Total height of tank: 1.800 mm

Empty weight tank: 530

SKU: 430706

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Cosmetics; Manhole diameter approx. 415 mm; outlet diameter approx. 40 mm; 1 tank with stronger adhesios inside; some residues of previous content; we can't give any guarantees about the

Additional Information2: heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 950

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 1,190 mm

Total Height: 1.800 mm

Outer diameter: 1.350 mm



Mer

Heat Exchanger: RVS 304

Isolated: Yes

Weight: 530