95000 liters tank in Acid-proof 316

636 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: the tanks have never been used, sloping bottom with stainless steel skirt that needs to be filled with concrete
Volumetric volume (L): 95.000 L
Max. density P (kg/m³): 1.100

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Top type: conical
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: no

Fixation points: on skirt
Manway(s): RVS 316
Gasket manway(s): unknown
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Agitator: no, optional

Outer diameter tank: 3.300 mm
Total height of tank: 11.647 mm
Empty weight tank: 4.800

SKU: 411815

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Food-grade: Yes
Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Maximum Product Density: 1100
Mobile Tank: No, it is not.
Övrig information: the tanks have never been used, sloping bottom with stainless steel skirt that needs to be filled with concrete
Agitator: No
Tank Shape: cylindrical
Complete Drainage: No, it is not.
Bottom Type: flat slope
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 95000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Total Height: 11.647 mm
Outer diameter: 3.300 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No
Weight: 4.800