

9670 liters tank in Stainless 304



345 000 SEK /st exkl moms

Additional information: Chemistry; 4 support brackets, Fe; external parts of the manhole cover partly made of Fe; 1 Half coil heater connection cut off (see photos); some residues of previous content

Volumetric volume (L): 9.670 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 200 L

Max Overpressure: 6 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 256

Power: 7,50

Top: 8 mm

Cylinder: 8 mm

Bottom: 6 mm

Internal diameter tank: 2.000 mm

Cylinder height: 2.500 mm

Total height of tank: 4.900 mm

SKU: 422927



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Chemistry; 4 support brackets, Fe; external parts of the manhole cover partly made of Fe; 1 Half coil heater connection cut off (see photos); some residues of previous content; we can't give any

Additional Information2: guarantees about the agitator

Agitator: Yes

Overpressure: 2 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 9670

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 2,500 mm
Internal diameter: 2,000 mm
Total Height: 4,900 mm

Stirrer

Power (kW): 7,50
Speed (RPM): 256

Tjocklek på tank

Bottom: 6 mm
Cylinder: 8 mm
Top: 8 mm

Mer

Isolated: No