

995 liter tank in Stainless 304



46 000 SEK /st exkl moms

item available on order

Article type: brand new palletized transporttank (for ADR) - type IBC-PL0

Additional information: The standardised PLO IBC containers which we offer from our stock are not applicable for food use!

Volumetric volume (L): 995 L

Max. density P (kg/m³): 1.900

Pressure in tank: pressure

Max. pressure (Bar): 0,49 Bar

Min. pressure (Bar): 0,02 Bar



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: yes

Top type: dished

Shape of tank: conical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Gasket manway(s): EPDM

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Hinged lid: yes

CIP spray ball: no

Tank outlet: inside Ø 50 mm

Outlet type: BSP MALE

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Outer diameter tank: 1.080 mm

Cylinder height: 970 mm

Height of top: 175 mm

Height of bottom: 240 mm

Feet height: 90 mm

Total height of tank: 1.445 mm

Total outer width: 1.121 mm

Total outer length: 1.121 mm

Empty weight tank: 150

SKU: 382619

Mer information



Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank: pressure

Configuration: single-skin

Maximum Product Density: 1900

Mobile Tank: Yes

Övrig information: The standardized PLO IBC containers which we offer from our stock are not applicable for food use!

Agitator: No

Overpressure: 0,49 bar

Tank Shape: conical

Complete Drainage: Yes

Bottom Type: flat slope

Vacuum Pressure: 0.02 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 995

Equipment

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: Yes

Outlet Type: BSP MALE

Outlet Valve: Yes

Material Overview

Material: Stainless steel 304

Fixing point(s): galvanized steel



Tank Dimensions

Cylinder Height: 970 mm
Height on legs: 90 mm
Total Height: 1,445 mm
Outer diameter: 1,080 mm

Tjocklek på tank

Bottom: 1,50 mm
Cylinder: 1,50 mm
Top: 1,50 mm

Mer

Isolated: No
Weight: 150