

9959 liter tank in Stainless 304





215 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Holvrieka pressure tank in very good condition.

Volumetric volume (L): 9.959 L

Ra inner weld: 0,80

Finish stainless steel: 2B

Pressure in tank: pressure

Design pressure (Bar): 12 Bar

Max. pressure (Bar): 7,50 Bar

Min. pressure (Bar): 0,02 Bar

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top



Height manhole 1 (mm): 440 mm

Outlet type: DIN11851

Agitator: no, optional

Distance from outlet to ground: 670 mm

Outer diameter tank: 2.340 mm

Cylinder height: 1.750 mm

Total height of tank: 4.950 mm

Empty weight tank: 1.200

SKU: 568124

Mer information



Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Tank design pressure: 12 bars

Stainless steel finish: 2b

Configuration: single-skin

Max. Service Temperature: 95 °C

Mobile Tank: No, it is not.

Övrig information: Holvrieka pressure tank in very good condition.

Agitator: No

Overpressure: 7,50 Bar

Ra Internal Weld: 0,80

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: dish

Vacuum Pressure: 0.02 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304L (V2A)

Volume in liters: 9959

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 1.750 mm

Outlet Height to Ground: 670 mm

Total Height: 4.950 mm

Outer diameter: 2.340 mm

Mer

Isolated: No

Weight: 1.200