

Centrifuge Krauss Maffei peeling HZ 80/1.0



1 710 000 SEK /st exkl moms

Additional information: The horizontally arranged rotor is mounted on overhung bearings. The housing door can be fully opened for maintenance purposes and provides free access to the bowl and all process components. With optional frequency inverters and customized controls and instruments, the peeler centrifuge can be optimally adapted to a wide range of processing requirements to achieve the best possible performance.



Complete documentation available

Volumetric volume (L): 83 L

Pressure in tank: ATM - atmosferic

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Total height of tank: 2.600 mm

Total outer width: 3.500 mm

Total outer length: 4.300 mm

SKU: 425675

Mer information



Product Description

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: The horizontally arranged rotor is suspended. For maintenance purposes, the housing door can be fully opened and provides free access to the drum and all process components. With optional frequency

Additional Information2: converters and customized controls and instruments, the peeler centrifuge can be optimally adapted to a variety of processing requirements to achieve the best possible performance.

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: No

Volume in liters: 83

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Tank Dimensions

Total Height: 2.600 mm

Mer

Isolated: No